

MODIFIED
ACTIVATED
CARBON
(MAC) TECHNOLOGY





MAC TECHNOLOGY CENTER TEAM

D. Jack Adams
Jan D. Miller
Terrence D. Chatwin
Ximena Diaz
Dale Richards





TEAM QUALIFICATIONS

- This team has worked together successfully
- Developed new technologies
- Developed and managed successful centers
- Developed and managed successful businesses
- Successfully introduced new products & services into the marketplace





TECHNOLOGY STATUS

- One patent issued
- Three provisional patents pending
- One invention disclosure submitted
- One provisional patent underway
- 2nd invention disclosure underway





MODIFIED ACTIVATED CARBON TECHNOLOGY

Molecular and surface modifications that alter activated carbon's sorption properties

- Chemically modified activated carbon
- Biologically modified activated carbon
- Can be combined with magnetic properties

Collectively referred to as Modified Activated Carbon – MAC





MAC BENEFITS

More Effective – More Economical

Technology Advantages

- Faster sorption kinetics
- Higher loading capacity
- Better contaminant removal

Economic Advantages

- Lower capital & operating costs
- Low cost magnetic separation
- Longer life reuse potential

MAC Arsenic Removal - \$0.10 - \$0.25 / 1,000 gal

<u>Current Technologies</u> \$0.25 - \$3.99/1,000 gal Not completely effective





ARSENIC EXAMPLE

| ARSENIC TREATMENTS | MAC | Anaerobic /H ₂ S ⁵ | Lime ^{2,3,4} | Chemical Reduction ^{2,3,4} | Activated Alumina ^{2,3} | Ion Exchange ² | Ferric Precipitation ^{2,3} | Reverse Osmosis |
|------------------------------------|---|---|-----------------------|--|-------------------------------------|------------------------------|--|--------------------|
| Treatment Time (hr) | Low (1 – 4) | Medium | Low | Medium | Medium | Low | Medium | Medium |
| pH Range | Broad (3 to 8.5) | Medium | Narrow | Narrow | Narrow | Narrow | Narrow | Med/ Broad |
| Arsenic Concentration (mg/L) | Low/Med/ High (<1 to >50) | Low/Med/ High | Med/ High | Med/High | Med/ High | High | High | Med/ High |
| Treatment Cost [*] | Low (\$0.10 to \$0.25 / 1,000 gal) | Low | Med/ High | High | High | High | Low | High |
| Meets Discharge Criteria | Yes | Yes | No | No | No | Not Always | Not Always | Yes |



SURFACE AREA







- MAC can come from any source
 - Wood chips, sawdust, organic waste, etc.
- 8 grams of activated carbon can have the surface area of a football field
- Comes in different forms
 - Granular activated carbon
 - Powdered activated carbon including nano particles
 - o Pellitized in various macro sizes and durability
 - Can be incorporated into various materials fabrics



MAGNETIC SEPARATION








MINING INDUSTRYGOLD SORPTION





MUNICIPAL WATER TREATMENTARSENIC







MARKETS

INITIAL FOCUS

MINING

MUNICIPAL WATER TREATMENT (ARSENIC)

FUTURE MARKETS
CHEMICAL PLANTS
COAL FIRED POWER PLANTS
PETROLEUM REFINERIES
AGRICULTURE
MEDICAL
ASSAY MATERIALS
DISINFECTION





MARKET APPLICATION AREAS

INITIAL FOCUS

METAL RECOVERY

WATER TREATMENT

FUTURE FOCUS
NANO PARTICLE APPLICATIONS
GAS TREATMENT
FOOD AND BEVEREGE
ANALYSIS





MAC COMMERCIAL BENEFITS

POTENTIAL NEW BUSINESS

Mac Products / Biomaterials Production

STRATEGIC BUSINESS PARTNERS

Carbon Manufacturing, Sales, Distribution

NEW JOBS – EXISTING COMPANIES

- Consulting
- Engineering Services
- Analysis

MAGNETIC SEPARATOR MANUFACTURER PARTNER






MAC MARKET OPPORTUNITY

| MAC Product Market Segment | Sales (Ton/yr) | Total market (\$/yr) | | |
|-------------------------------|-------------------|-------------------------|--|--|
| MINING (WORLD) | 30,000 | \$75,990,000 | | |
| MUNICIPAL (As - US) | 135,000 | \$341,955,000 | | |
| CHEMICAL (US) | 23,000 | \$58,259,000 | | |
| MEDICAL (US) | 245,000 | \$620,585,000 | | |
| POWER (US) | 44,200 | \$111,958,600 | | |
| MUNICIPAL (OTHER) | 50,000 | \$126,650,000 | | |
| INDUSTRIAL (US) | 35,000 | \$88,655,000 | | |
| GRND. WATER (US) | 10,800 | \$27,356,400 | | |
| TOTAL | 573,000 | \$1,451,409,000 | | |

- 1) Chemical Profile CMR online http://www.the-innovation-group.com/chemprofile.htm
- 2) http://www.the-innovation-group.com/ChemProfiles/Activated%20Carbon.htm
- 3) ESPI (2005) Estimations from: EPA (1997) EPA
- 4) EPA ECHO, National Research Council, PNCWA



DEVELOPMENT TIMELINE







CURRENT/PENDING FUNDING

| Current Support Source (Contracts in place) | (2 | Match | |
|---|----|-----------|-------|
| NSF 0352482 | \$ | 314,442 | |
| NSF 0337258 | \$ | 126,659 | |
| Eriez Phase II SBIR | \$ | 116,685 | |
| SUBTOTAL | \$ | 557,685 | ~4:1 |
| Pending Support Source | | | |
| Proposals Submitted to Barrick | \$ | 570,000 | |
| Proposal Submitted to Newmont | \$ | 50,000 | |
| MSE Requested Proposal (DOE – EPA Validation) | \$ | 250,000 | |
| New Mexico (State Drinking Water Evaluations) | \$ | 35,000 | |
| SUBTOTAL | \$ | 945,000 | |
| TOTAL | \$ | 1,502,685 | ~10:1 |





REQUESTED COE FUNDS

| Category | (2005-2006) |
|------------------------|-------------|
| Personnel | \$130,000 |
| Capital Equipment | \$0 |
| Marketing Subcontracts | \$10,000 |
| General Expenses | \$10,000 |
| Total | \$150,000 |

COE funding will allow principal investigators and students to focus on development of product data and materials to effectively market MAC products

